

Scotland's Rural College

## Understanding and quantifying carbon cycling in managed grasslands through model-data fusion

Myrriotis, VM; Clement, Rob; Jones, SK; Keane, Ben; Lee, Mark; Levy, Peter E; Rees, RM; Skiba, Ute M.; Smallman, Thomas Luke; Toet, Sylvia; Williams, Mathew; Blei, Emanuel

DOI:

[10.5194/egusphere-egu2020-4984](https://doi.org/10.5194/egusphere-egu2020-4984)

First published: 04/05/2020

*Document Version*

Publisher's PDF, also known as Version of record

[Link to publication](#)

*Citation for published version (APA):*

Myrriotis, VM., Clement, R., Jones, SK., Keane, B., Lee, M., Levy, P. E., Rees, RM., Skiba, U. M., Smallman, T. L., Toet, S., Williams, M., & Blei, E. (2020). *Understanding and quantifying carbon cycling in managed grasslands through model-data fusion*. 4984. Abstract from EGU General Assembly.  
<https://doi.org/10.5194/egusphere-egu2020-4984>

### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

### Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

EGU2020-4984, updated on 04 May 2020

<https://doi.org/10.5194/egusphere-egu2020-4984>

EGU General Assembly 2020

© Author(s) 2020. This work is distributed under the Creative Commons Attribution 4.0 License.



## Understanding and quantifying carbon cycling in managed grasslands through model-data fusion

**Vasileios Myrgiotis**<sup>1</sup>, Rob Clement<sup>1</sup>, Stephanie K. Jones<sup>2</sup>, Ben Keane<sup>4</sup>, Mark Lee<sup>2</sup>, Peter E. Levy<sup>3</sup>, Robert M. Rees<sup>2</sup>, Ute M. Skiba<sup>3</sup>, Luke T. Smallman<sup>1</sup>, Sylvia Toet<sup>4</sup>, Mathew Williams<sup>1</sup>, and Emanuel Blei<sup>1</sup>

<sup>1</sup>University of Edinburgh, Geosciences, Edinburgh, United Kingdom of Great Britain and Northern Ireland

<sup>2</sup>Scotland's Rural College, Edinburgh, United Kingdom of Great Britain and Northern Ireland

<sup>3</sup>Centre for Ecology and Hydrology, Edinburgh, United Kingdom of Great Britain and Northern Ireland

<sup>4</sup>University of York, Department of Environment and Geography, United Kingdom of Great Britain and Northern Ireland

Managed grasslands are extensive terrestrial ecosystems that provide a range of services. In addition to supporting the world's various livestock production systems they contain climatically significant amounts of carbon (C). Understanding and quantifying the C dynamics of managed grasslands is complicated yet crucial. This presentation describes a process-model of C dynamics in managed grasslands (DALEC-Grass). DALEC-Grass is a model of intermediate complexity, which calculates primary productivity, dynamically allocates C to biomass tissues and describes the impacts of grazing/harvesting activities. The model is integrated into a Bayesian model-data fusion framework (CARDAMOM). CARDAMOM uses observations of ecosystem functioning (e.g. leaf area, biomass, C fluxes) to optimise the model's parameters while respecting a set of biogeochemical and physiological rules. The model evaluation results presented demonstrate the model's skill in predicting primary productivity and C allocation patterns in UK grasslands using both ground and satellite based leaf area index (LAI) time series as observational constraints.